

## **HOMEWORK Questions...**

p. 236: #7 - 10

***NOTE:*** Each question requires a graph to get possible solutions!

8. Trish is setting up her social networking page:

- She wants to have no more than 500 friends on her new social networking page.
- She also wants to have at least three school friends for every rugby friend.
  - Define the variables and write a system of inequalities that models this situation.
  - Describe the restrictions on the domain and range of the variables.
  - Graph the solution set to determine two possible combinations of school friends and rugby friends she could have.

School depends on rugby  
 $y$  .  $x$

w)

$x \rightarrow$  # of rugby friends  
 $y \rightarrow$  # of school friends

b)

$x \in W$   
 $y \in W$

$$x + y \leq 500$$

$$x + y = 500$$

x-int (500, 0)


y-int (0, 500)

$$y \geq 3x$$

$$y = 3x$$

x	y
50	150
100	300

Test (100, 0)  
 LS  $\geq$  RS  
 $0 \geq 300$   
 NO





# 5.4

Notes - Optimization Problems.pdf

## Optimization Problems I: Creating the Model

**optimization problem**  
A problem where a quantity must be maximized or minimized following a set of guidelines or conditions.

*Inequation*  
**constraint**  
A limiting condition of the optimization problem being modelled, represented by a linear inequality.

*Equation*  
**objective function**  
In an optimization problem, the equation that represents the relationship between the two variables in the system of linear inequalities and the quantity to be optimized.

*Overlap*  
**feasible region**  
The solution region for a system of linear inequalities that is modelling an optimization problem.

*Graph*

### Need to Know

- You can create a model for an optimization problem by following these steps:
  - ~~x~~ **Step 1.** Identify the quantity that must be optimized. Look for key words, such as *maximize* or *minimize*, *largest* or *smallest*, and *greatest* or *least*.
  - ✓ **Step 2.** Define the variables that affect the quantity to be optimized. Identify any restrictions on these variables.
  - ✓ **Step 3.** Write a system of linear inequalities to describe all the constraints of the problem. Graph the system.
  - ~~x~~ **Step 4.** Write an objective function to represent the relationship between the variables and the quantity to be optimized.

### APPLY the Math

**EXAMPLE 1**

Creating a model for an optimization problem with whole-number variables

*P. 243*

*TOTAL → 3 × 16 = 48*

Three teams are travelling to a basketball tournament in cars and minivans.

- Each team has no more than 2 coaches and 14 athletes.
- Each car can take 4 team members, and each minivan can take 6 team members.
- No more than 4 minivans and 12 cars are available.



The school wants to know the combination of cars and minivans that will require the minimum and maximum number of vehicles. Create a model to represent this situation.

*m ≤ 4  
c ≤ 12  
4c + 6m ≤ 48*



**Juanita's Solution**

Let  $m$  represent the number of minivans.  
Let  $c$  represent the number of cars.

The two variables in the problem are the number of cars and the number of minivans. The values of these variables are whole numbers.

$m \in \mathbb{W}$  and  $c \in \mathbb{W}$

Constraints:

Number of cars available:

$c \leq 12$

Number of minivans available:

$m \leq 4$

Number of team members:

$4c + 6m \leq 48$

I knew that this is an **optimization problem** because the number of vehicles has to be minimized and maximized.

**optimization problem**

A problem where a quantity must be maximized or minimized following a set of guidelines or conditions.

I wrote three linear inequalities to represent the three limiting conditions, or **constraints**.

**constraint**

A limiting condition of the optimization problem being modelled, represented by a linear inequality.

The maximum number of team members is the number of teams multiplied by the maximum number of coaches and athletes:  
 $3(14) + 3(2) = 48$

Objective function:


Let  $V$  represent the total number of vehicles.

$V = c + m$

I created an equation, called the **objective function**, to represent the relationship between the two variables (number of minivans and number of cars) and the quantity to be minimized and maximized (number of vehicles).

**objective function**

In an optimization problem, the equation that represents the relationship between the two variables in the system of linear inequalities and the quantity to be optimized.



I graphed the system of three inequalities.

One of the solutions in the **feasible region** represents the combination of cars and minivans that results in the minimum total number of vehicles and another solution represents the maximum. I think I could use the objective function to determine each point, but I am not certain how yet.

**feasible region**

The solution region for a system of linear inequalities that is modelling an optimization problem.

## QUIZ TIME...

When finished pass your quiz in and work on the following:

### HOMEWORK...

Page 248: #1, #2, #3, #5



#### **NOTE:**

Create a model means graph the solution region

## Attachments

---

Notes - Optimization Problems.pdf