Warm Up



$e^\circ < BOD = 134^\circ$ (SAT)

$a^\circ = \angle DAC = 23^\circ$ (ins/cent)

$b^\circ = \angle DBC = 23^\circ$ (ins/cent)

$d = \angle BDO = 23^\circ$ (Itt) (SATT)

Calculate all the unknowns:



$\angle APO = 90°$ (tang P)
$\angle BPO$

$x = 67°$ (SATT)

$t = 43°$ (SATT)

$z \Rightarrow$ leg

$a^2 = c^2 - b^2$

$\sqrt{10^2 - 8^2}$

$z = 6$

$y =$ leg

$a^2 = c^2 - b^2$

$\sqrt{12^2 - 6^2}$

$y = 10.4$

Calculate the length of the chord:



$\angle APO = 90°$
$\angle BPO = 90°$ } (chord P)

AP → leg

$a^2 = c^2 - b^2$

$a^2 = 9^2 - 6.5^2$

$a^2 = 81 - 42.25$

$\sqrt{a^2} = \sqrt{38.75}$

$a = 6.2$

$AB = 2(6.2)$

$AB = 12.4\text{cm}$



Do on your own

$x = 48°$ (cent $\angle$, $\overset{\frown}{CB}$)

$w = 90°$ (tang $\perp$ rad)

$y = 66°$
$z = 66°$] Iso $\triangle$

$V = 24°$ (st line)

Homework:

TEST Tomorrow

p.418 - 419

#		
	1	8
	2	9
	5	10
	6	
	7	



Practice Test page 420

1,2,3


O
50°
c°
a°
b°
d°

(SATT) (ITT) (SAT) (CAT) (OAT) (CyAT)	< ___ = 90° (Tang P) <___= <___= 90° (Chord P) ___ = ____(Chord P)	< ___= __° (ins/cent >, $\overset{\frown}{\_\_}$) < ___= __° (ins >, $\overset{\frown}{\_\_}$) < ___= __° (ins >, diam) < ___= __° (CyQuad)

Chapter 8: Notes

Pythagorean theorem



Hyp = ?

$c^2 = a^2 + b^2$

Leg = ?

$a^2 = c^2 - b^2$

Angle Sum of Triangle Theorem (SATT)



$a^o + b^o + c^o = 180^o$

Isosceles Triangle Theorem (ITT)

Two sides are equal : AB = BC

Base angles are equal:

< A = <C



If a^o = ?

$a^o = \frac{180 - b}{2}$

If b^o = ?

$b^o = 180 - a^o - a^o$

Angle Properties

Supplementary Angle Theorem (SAT)



$a^o + b^o = 180^o$

Complimentary Angle Theorem (CAT)

$a^o + b^o = 90^o$

Cyclic Angle Theorem (CyAT)



$a^o + b^o + c^o = 360^o$

Opposite Angle Theorem (OAT)



$a^o = d^o$

$b^o = c^o$

Information about circles



Tangent Property

< ___ = 90° (Tang P)

- a radius hits a tangent at 90°



To solve unknown sides :

Pythagorean Theorem

To solve unknown angles :

SATT

Chord Property

If chord lengths are indicted

<___= <___= 90° (Chord P)

If 90° is indicated

___ = ____(Chord P)

a line coming from the centre of the circle

- hits chord at a 90° angle
- cuts the chord into two equal pieces



To solve unknown sides :

Pythagorean Theorem

To solve unknown angles :

SATT

ITT

Circle Properties

Central Angle



Inscribed Angle



Property # 1: Central & Inscribed Angles

< ___= __° (ins/cent >, ⌒)



- The central angle is double the inscribed angle

- The inscribed angle is half the central angle

Property # 2: Inscribed Angles

< ___= __° (ins >, ⌒)



- Inscribed angles coming from the same arc are equal

Property # 3: Inscribed from Diameter

< ___= __° (ins >, diam)



- Inscribed angles coming from the diametre are 90°

Property # 4: Cyclic Quadrilateral

< ___= __° (CyQuad)



- Opposite angles in a cyclic quad must add up to 180°

$a^\circ + c^\circ = 180^\circ$

$b^\circ + d^\circ = 180^\circ$