

Name Key Date \_\_\_\_\_

Master 2.17

Extra Practice 1

Lesson 2.1: What Is a Power?

1. Identify the base of each power.

a) $6^3$	b) $2^7$	c) $(-5)^4$	d) $-7^0$
Base: <u>6</u>	<u>2</u>	<u>-5</u>	<u>7</u>
Exponent: <u>3</u>	<u>7</u>	<u>4</u>	<u>0</u>

2. Use repeated multiplication to show why  $3^5$  is not the same as  $5^3$ .

$$\begin{array}{l} (3)(3)(3)(3)(3) \\ = 243 \end{array} \quad \begin{array}{l} (5)(5)(5) \\ = 125 \end{array}$$

3. Complete this table.

Power	Base	Exponent	Repeated Multiplication	Standard Form
$4^4$	<u>4</u>	<u>4</u>	<u>(4)(4)(4)(4)</u>	<u>256</u>
$(-10)^3$	<u>-10</u>	<u>3</u>	<u>(-10)(-10)(-10)</u>	<u>-1000</u>
<u><math>(-6)^2</math></u>	<u>-6</u>	<u>2</u>	<u>(-6)(-6)</u>	<u>36</u>
<u><math>(1)^5</math></u>	<u>1</u>	<u>5</u>	<u><math>1 \times 1 \times 1 \times 1 \times 1</math></u>	<u>1</u>

4. Write each product as a power, then evaluate.

a)  $6 \times 6 = 6^2 = 36$

b)  $3 \times 3 \times 3 \times 3 \times 3 \times 3 = 3^6 = 729$

c)  $10 \times 10 \times 10 \times 10 = 10^4 = 10\,000$

d)  $-(8 \times 8 \times 8) = -(8)^3 = -512$

e)  $(-8)(-8)(-8) = (-8)^3 = -512$

f)  $-(-8)(-8)(-8) = -(-8)^3 = 512$

5. Write each power as repeated multiplication, then evaluate.

a)  $7^5$   
 $(7)(7)(7)(7)(7)$   
 $= 16\,807$

b)  $4^6$   
 $(4)(4)(4)(4)(4)(4)$   
 $= 4096$

c)  $-9^3$   
 $-(9)(9)(9)$   
 $= -729$

d)  $(-5)^5$   
 $(-5)(-5)(-5)(-5)(-5)$   
 $= -3\,125$

Name \_\_\_\_\_ Date \_\_\_\_\_

6. Evaluate each power. For each power:

- Are the brackets needed?

- If your answer is yes, what purpose do the brackets serve?

a)  $(-6)^5$   
 $= -7776$

Brackets  
Needed

b)  $-(-6)^5$   
 $= -7776$

Brackets  
Not  
Needed

c)  $-(-6)^5$   
 $= 7776$

Brackets  
Needed

d)  $(-6^5)$   
 $= -7776$

Brackets  
Not  
Needed

7. Predict whether each answer is positive or negative, then evaluate.

a)  $(-3)^2$   
(+)  
 $= 9$

b)  $(-3)^3$   
(-)  
 $= -27$

c)  $-3^2$   
(-)  
 $= -9$

d)  $-(-3)^3$   
(+)  
 $= 27$

8. Is the value of  $-2^4$  different from the value of  $(-2)^4$ ? Explain.

$$-2^4 = -(2)(2)(2)(2)$$
  
$$= -16$$


$$(-2)^4 = (-2)(-2)(-2)(-2)$$
  
$$= 16$$

9. Stamps are sold in a 10 by 10 sheet. The total value of a sheet of stamps is \$60.00.

- a) Express the number of stamps as a power and in standard form.

$$10 \times 10 = 10^2 = 100$$

- b) Draw a picture to represent this power.



- c) What is the value of one stamp?

$$\$60 \div 100 = \$0.06$$

Name \_\_\_\_\_ Date \_\_\_\_\_

Master 2.18

## Extra Practice 2

## Lesson 2.2: Powers of Ten and the Zero Exponent

1. Evaluate each power.

a)  $4^0$   
 $= 1$

b)  $23^0$   
 $= 1$

c)  $(-6)^0$   
 $= 1$

d)  $1^0$   
 $= 1$

e)  $-1^0$   
 $= -1$

f)  $(-1)^0$   
 $= 1$

2. Write each number as a power of 10.

a) 10 000  
 $= 10^4$

b) 1 000 000  
 $= 10^6$

c) one billion  
 $= 10^9$

d) ten  
 $= 10^1$

e) 1  
 $= 10^0$

3. Use powers of 10 to write each number.

a) 700 000 000 000  
 $= 7 \times 10^{11}$

b) 7000  
 $= 7 \times 10^3$

c) 77 077

d) 7 000 007

$(7 \times 10^4) + (7 \times 10^3) + (7 \times 10^1) + (7 \times 10^0)$

$= (7 \times 10^6) + (7 \times 10^0)$

4. Write each number in standard form.

a)  $(8 \times 10^5) = 800\,000$

b)  $(9 \times 10^7) + (9 \times 10^6) + (5 \times 10^5) = 99\,500\,000$

c)  $(2 \times 10^3) + (2 \times 10^2) + (6 \times 10^0) = 2206$

d)  $(5 \times 10^5) + (4 \times 10^8) + (8 \times 10^0) + (3 \times 10^4) = 400\,530\,008$

Name \_\_\_\_\_ Date \_\_\_\_\_

5. Write these numbers in standard form, then order them from least to greatest.  
 fifty-five hundred      50 500       $(5 \times 10^6) + (5 \times 10^0)$

5500

5 000 005

five hundred thousand

$5 \times 10^4$

500 500

500 000

50 000

Fifty-five hundred ;  $5 \times 10^4$  ; 50 500 , five hundred , 500 500 ,  $(5 \times 10^6) + (5 \times 10^0)$  thousand

6. a) Complete this table for a base of 10.

Exponent	Power	Standard Form
6	$10^6$	1 000 000
5	$10^5$	100 000
4	$10^4$	10 000
3	$10^3$	1 000
2	$10^2$	100
1	$10^1$	10
0	$10^0$	1

Name \_\_\_\_\_ Date \_\_\_\_\_

Master 2.19

## Extra Practice 3

## Lesson 2.3: Order of Operations with Powers

1. Evaluate.

$$\begin{aligned} \text{a) } 5^2 + 3 \\ = 25 + 3 \\ = 28 \end{aligned}$$

$$\begin{aligned} \text{b) } 5^2 - 3 \\ = 25 - 3 \\ = 22 \end{aligned}$$

$$\begin{aligned} \text{c) } 5 + 3^2 \\ = 5 + 9 \\ = 14 \end{aligned}$$

$$\begin{aligned} \text{d) } 5 - 3^2 \\ = 5 - 9 \\ = -4 \end{aligned}$$

$$\begin{aligned} \text{e) } (5 + 3)^2 \\ = (8)^2 \\ = 64 \end{aligned}$$

$$\begin{aligned} \text{f) } (5 - 3)^2 \\ = (2)^2 \\ = 4 \end{aligned}$$

$$\begin{aligned} \text{g) } 5^2 + 3^2 \\ = 25 + 9 \\ = 34 \end{aligned}$$

$$\begin{aligned} \text{h) } 5^2 - 3^2 \\ = 25 - 9 \\ = 16 \end{aligned}$$

2. Evaluate.

$$\begin{aligned} \text{a) } 4^3 \times 2 \\ = 64 \times 2 \\ = 128 \end{aligned}$$

$$\begin{aligned} \text{b) } 4^3 \div 2 \\ = 64 \div 2 \\ = 32 \end{aligned}$$

$$\begin{aligned} \text{c) } 4 \times 2^3 \\ = 4 \times 8 \\ = 32 \end{aligned}$$

$$\begin{aligned} \text{d) } 4 \div 2^3 \\ = 4 \div 8 \\ = 0.5 \end{aligned}$$

$$\begin{aligned} \text{e) } (4 \times 2)^3 \\ = (8)^3 \\ = 512 \end{aligned}$$

$$\begin{aligned} \text{f) } (4 \div 2)^3 \\ = (2)^3 \\ = 8 \end{aligned}$$

$$\begin{aligned} \text{g) } 4^3 \times 2^3 \\ = 64 \times 8 \\ = 512 \end{aligned}$$

$$\begin{aligned} \text{h) } 4^3 \div 2^3 \\ = 64 \div 8 \\ = 8 \end{aligned}$$

Name \_\_\_\_\_ Date \_\_\_\_\_

3. Evaluate.

a)  $(18 \div 3^2 + 1)^4 - 4^2$

$$(18 \div 9 + 1)^4 - 4^2$$

$$(2 + 1)^4 - 4^2$$

$$(3)^4 - 4^2$$

$$81 - 16$$

$$= 65$$

b)  $3^3 \div 9(3^0 - 2^2)$

$$3^3 \div 9(1 - 4)$$

$$3^3 \div 9(-3)$$

$$27 \div 9(-3)$$

$$3(-3)$$

$$= -9$$

c)  $(12^2 + 5^3)^0 - 2[(-3)^3]$

$$1 - 2[-27]$$

$$1 - (-54)$$

$$= 55$$

d)  $(7 - 5)^3 \times (8 + 2)^4$

$$(2)^3 \times (10)^4$$

$$8 \times 10\,000$$

$$= 80\,000$$

e)  $(4^2 \times 1^5)^2$

$$(16 \times 1)^2$$

$$(16)^2$$

$$= 256$$

f)  $[(-3)^4 - (-2)^3]^0 \div [(-4)^3 - (-3)^2]^0$

$$[1] \div [1]$$

$$= 1$$

5. The formula for the volume,  $V$ , of a cylinder with height,  $h$ , and radius,  $r$ , is  $V = \pi r^2 h$ . Janet made 3 L of salsa and stores it in jars with a radius of 4 cm and a height of 10 cm.

She uses this expression to determine the number of jars she will need:  $\frac{3000}{\pi(4)^2 \times 10}$

About how many jars will Janet need for the salsa?

$$\frac{3000}{3.14(16) \times 10} = \frac{3000}{502.4} = 5.9 \approx 6 \text{ jars}$$

6. Aftab, Shane, and Kyra got different answers when they evaluated this expression:  $(-4)^2 - 3[(-9) \div 3]^2$ . Aftab's answer was 97, Shane's answer was 43, and Kyra's answer was 19.

a) Show the correct solution.

$$(-4)^2 - 3[-9 \div 3]^2$$

$$16 - 3(-3)^2$$

$$16 - 3(9)$$

$$16 - 27$$

$$= -11$$

## Extra Practice 4

Name: \_\_\_\_\_

## Lesson 2.4: Exponent Laws 1

1. Write each product as a single power.

a)  $4^3 \times 4^2$

$= 4^5$

b)  $5^0 \times 5^0$

$= 5^0$

c)  $(-2)^2 \times (-2)^4$

$= (-2)^6$

d)  $-6^3 \times 6^1$

$= -6^4$

e)  $(-7)^0 \times (-7)^2$

$= (-7)^2$

f)  $(-9)^6 \times (-9)^3$

$= (-9)^9$

2. Write each quotient as a single power.

a)  $8^7 \div 8^5$

$= 8^2$

b)  $10^4 \div 10^0$

$= 10^4$

c)  $(-1)^6 \div (-1)^3$

$= (-1)^3$

d)  $\frac{-3^4}{3^4}$

$= -3^0$

e)  $\frac{(-9)^{10}}{(-9)^5}$

$= (-9)^5$

f)  $\frac{11^9}{11^6}$

$= 11^3$

3. Express as a single power.

a)  $2^3 \times 2^6 \div 2^9$

$= 2^9 \div 2^9$

$= 2^0$

b)  $(-5)^8 \div (-5)^4 \times (-5)^3$

$= (-5)^4 \times (-5)^3$

$= (-5)^7$

c)  $\frac{6^3 \times 6^5}{6^2 \times 6^4}$

$= \frac{6^8}{6^6}$

$= 6^2$

4. Simplify, then evaluate.

a)  $2^2 - 2^0 \times 2 + 2^3$

$2^2 - 2^1 + 2^3$

$4 - 2 + 8$

$2 + 8$

$10$

b)  $(-2)^6 \div (-2)^5 - (-2)^5 \div (-2)^3$

$(-2)^1 - (-2)^2$

$-2 - (4)$

$= -6$

c)  $-2^2(2^3 \div 2^1) - 2^3$

$-2^2(2^2) - 2^3$

$-2^4 - 2^3$

$-16 - 8$

$-24$

## Extra Practice 5

Name : \_\_\_\_\_

## Lesson 2.5: Exponent Laws II

1. Write each expression as a product of powers or a quotient of powers.

a)  $(3 \times 2)^4$   
 $= 3^4 \times 2^4$

b)  $[(-4) \times 3]^2$   
 $= (-4)^2 \times (3)^2$

c)  $[(-2) \times (-4)]^3$   
 $= (-2)^3 \times (-4)^3$

d)  $(7 \times 11)^0$   
 $(7)^0 \times (11)^0$

e)  $(10 \div 5)^3$   
 $10^3 \div 5^3$

f)  $[(-12) \div (-6)]^2$   
 $(-12)^2 \div (-6)^2$

g)  $\left(\frac{8}{4}\right)^4$   
 $\frac{(8)^4}{(4)^4}$

h)  $\left(\frac{1}{10}\right)^6$   
 $\frac{(1)^6}{(10)^6}$

2. Write as a power.

a)  $(3^4)^2$   
 $3^8$

b)  $(5^0)^3$   
 $5^0$

c)  $-(7^2)^2$   
 $-(7)^4$

d)  $[(-3)^3]^2$   
 $(-3)^6$

3. Why is the value of  $[(-3)^3]^2$  positive and the value of  $[(-3)^3]^3$  negative?

$(-3)^6$   
 → Negative base to an even exponent will be positive

$(-3)^9$   
 → Negative base to an odd exponent will be negative

4. Simplify, then evaluate.

a)  $(2^3 \times 2^1)^2$   
 $= (2^4)^2$   
 $= 2^8$   
 $= 256$

b)  $(5^4 \div 5^2)^2$   
 $= (5^2)^2$   
 $= 5^4$   
 $= 625$

c)  $[(-3)^0 \times (-3)^3]^2$   
 $[-(-3)^3]^2$   
 $= (-3)^6$   
 $= 729$

d)  $(10^2)^4 \div (10^3)^2$   
 $10^8 \div 10^6$   
 $= 10^2$   
 $= 100$

5. Simplify, then evaluate each expression.

a)  $(3^2 \times 4^3)^2 - (4^4 \div 4^2)^2$   
 $3^4 \times 4^6 - (4^2)^2$   
 $81 \times 4096 - 4^4$   
 $331776 - 256$   
 $= 331520$

b)  $(2^3 \div 2^2)^3 + (7^4 \times 7^3)^0$   
 $(2^1)^3 + (7^7)^0$   
 $2^3 + 7^0$   
 $8 + 1$   
 $= 9$

c)  $[(-1)^3]^4 - [(-1)^4 \div (-1)^3]^2$   
 $(-1)^{12} - [(-1)^1]^2$   
 $(-1)^{12} - (-1)^2$   
 $1 - 1$   
 $= 0$

d)  $(4^2 \times 4^3)^0 - (3^2)^2$   
 $(4^5)^0 - 3^4$   
 $4^0 - 3^4$   
 $1 - 81$   
 $= -80$



$$\begin{aligned} \text{e) } (5^2 \times 5^0)^3 + (2^5 \div 2^3)^3 \\ (5^2)^3 + (2^2)^3 \\ 5^6 + 2^6 \\ = 15625 + 64 \\ = 15689 \end{aligned}$$

$$\begin{aligned} \text{f) } (10^6 \div 10^3)^2 + (2^3 \div 2^1)^4 \\ = (10^3)^2 + (2^2)^4 \\ = 10^6 + 2^8 \\ = 1000000 + 256 \\ = 1000256 \end{aligned}$$

6. Find and correct any errors in each solution.

$$\begin{aligned} \text{a) } (4^3 \times 2^2)^2 &= (8^5)^2 \\ &= 8^{10} \\ &= 1\,073\,741\,824 \end{aligned}$$

You try  $(4^3 \times 2^2)^2 = (8^5)^2$

$$\begin{aligned} &4^6 \times 2^4 \\ &4096 \times 16 \\ &= 256 \end{aligned}$$

$$\begin{aligned} \text{b) } [(-10)^3]^4 &= (-10)^7 \\ &= -10\,000\,000 \end{aligned}$$

You try  $[(-10)^3]^4 = (-10)^7$

$$\begin{aligned} &(-10)^{12} \\ &= 1\,000\,000\,000\,000 \end{aligned}$$

$$\begin{aligned} \text{c) } (2^2 + 2^3)^2 &= (2^5)^2 \\ &= 2^{10} \\ &= 1024 \end{aligned}$$

No  
Law  
for  
adding

You try  $(2^2 + 2^3)^2 = (2^5)^2$

$$\begin{aligned} &(4+8)^2 \\ &(12)^2 \\ &144 \end{aligned}$$